

MERSEN
Expertise, our source of energy

ADVANCED PROTECTION OF
DRIVES, SOFT-STARTERS, AND
SEMICONDUCTOR DEVICES

HSJ
HIGH SPEED
CLASS J
FUSES



AMP-TRAP® HIGH SPEED CLASS J FUSE (HSJ)



Under circuit fault conditions, HSJ fuses will limit the amount of energy delivered preventing damage to sensitive components such as IGBTs, DC Capacitors, Diodes and SCRs

The HSJ is the only product available capable of providing NEC branch circuit protection and power electronics protection in one package!

Many manufacturers of drives and soft-starters have sought to reduce costs by eliminating internal semiconductor fusing. This now leaves equipment vulnerable to component failure, and falls short of code branch circuit requirements. Therefore, it becomes the end users' responsibility to protect the drives and soft-starters, while also providing branch circuit protection.

Mersen has developed an innovative solution to this problem, the UL listed Class J Fuse (HSJ) designed specifically to fit the operating parameters of drives and soft-starters, and protect the internal power electronic devices.

Why let shortcuts result in costly short circuits?

By using Mersen HSJ fuses not only are the NEC safety requirements and the equipment integrity maintained, but the price of replacing costly equipment is also eliminated.

The HSJ combines the following features:

- Semiconductor protection (very low I²t)
- Compliance to NEC (branch circuit protection)
- Mirrors operating characteristics of electronic motor controllers
- Capable of protecting overloads down to 135% of fuse rating

Protection Method	Code Branch Circuit Protection	Driver or Soft-Start Protection
HSJ (UL Listed)	✓	✓
Circuit Breaker (UL Listed)	✓	✗
Class J, T, RK1, RK5 Fuse (UL Listed)	✓	✗
High Speed Fuse (UL Rec)	?	✓

FEATURES:

- Optimized over-load capability for withstanding elevated levels of current during electronic motor controller start-ups
- Very low I²t (thermal energy) let-through
- Excellent cycling ability for frequent starts/stops without nuisance opening
- Compact Class J footprint
- Current-limiting capability

APPLICATIONS:

- Electronic motor controllers
- Variable frequency drives
- Soft-starters
- Solid state relays
- Phase controllers
- Inverters
- Branch circuit protection for various loads and semiconductor devices

THE NEED FOR CODE COMPLIANCE AND SEMICONDUCTOR PROTECTION

HIGH SPEED CLASS J (HSJ) CATALOG NUMBERS

You'll find the HSJ in a broad range of ampere ratings - from 1 to 600A, UL Listed to Standard 248-8.

Catalog Numbers (Amps)			
HSJ1	HSJ30	HSJ90	HSJ250
HSJ3	HSJ35	HSJ100	HSJ300
HSJ6	HSJ40	HSJ110	HSJ350
HSJ10	HSJ45	HSJ125	HSJ400
HSJ15	HSJ50	HSJ150	HSJ450
HSJ17-1/2	HSJ60	HSJ175	HSJ500
HSJ20	HSJ70	HSJ200	HSJ600
HSJ25	HSJ80	HSJ225	



The HSJ can be used in fusible disconnect switches, providing code branch circuit protection. It can also protect power semiconductors without the need for additional protective devices.

RATINGS

- **Volts:** 600VAC, 500VDC
- **Amps:** 1 to 600A (AC), 15 to 600A (DC)
- **IR:** 200kA I.R. AC, 100kA I.R. DC, L/R =10mS less
- (Self Certified for 600VAC, 300kA I.R., UL witnessed.)

APPROVALS

- UL Listed to Standard 248-8, File E2137
- CSA Certified to Standard C22.2

RECOMMENDED FUSE HOLDE

Fuse Ampere Rating	Catalog Number	
	600V or Less	
	1 Pole	3 Pole
0-30	US3J1I	US3J3I
31-60	US6J1I	US6J3I
61-100	61006SJ	61008SJ
101-200	62001J	62003J
201-400	64031J	64033J
401-600	6631J	6633J





MERSEN IS A GLOBAL EXPERT
IN ELECTRICAL POWER AND
ADVANCED MATERIALS

NORTH AMERICA

USA
Mersen USA
374 Merrimac Street
Newburyport, MA 01950
T : +1 978 462 6662

CANADA
Mersen Canada
6200 Kestrel Road
Mississauga, ON L5T 1Z1
T : +1 416 252 9371

EUROPE

FRANCE
Mersen France SB S.A.S.
15 rue Jacques de Vaucanson
F-69720 Saint-Bonnet-de-Mure
T : +33 4 72 22 66 11

ASIA

CHINA
Mersen Shanghai
No.55-A6. Shu Shan Road
Songjiang 201611 Shanghai
T : +86 21 6760 2388



EP.MERSEN.COM